

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A hybrid digital broadcasting receiver for reproducing digital multimedia data, comprising:
 - a broadcast receiving module comprising:
 - a receiving section for receiving and demodulating a digital broadcasting data stream which includes a multiplexed and transmitted plurality of compressively encoded and scrambled programs;
 - a first demultiplexer for demultiplexing said demodulated digital broadcasting data stream, and selecting and extracting digital broadcasting data corresponding to a program selected by a user;
 - a conditional access section for detecting conditional access information and decrypting said selected digital broadcasting data using said detected information;
 - a multimedia module for supplying a digital multimedia data stream that is not decrypted; and
 - a decoder module comprising:
 - a second demultiplexer in electrical communication with said multimedia module for receiving said digital multimedia data stream and for demultiplexing ~~[[a]]the~~ digital multimedia data stream which includes a multiplexed plurality of compressively encoded digital multimedia data; and
 - a decoding section for decoding digital broadcasting data output from said broadcast receiving module and digital multimedia data output from said second demultiplexer,
- wherein the digital broadcasting data is inputted to the decoding section via the conditional access section from the first demultiplexer and the digital multimedia data is inputted to the decoding section from the second demultiplexer.

2. (Original) The hybrid digital broadcasting receiver according to claim 1, further comprising a smart card for receiving said conditional access information and generating a scrambling key.

3. (Previously presented) The hybrid digital broadcasting receiver according to claim 1, wherein said conditional access information comprises Entitlement Control Message (ECM) and Entitlement Management Message (EMM).

4. (Original) The hybrid digital broadcasting receiver according to claim 2, wherein said conditional access section receives said scrambling key from said smart card and decrypts said digital broadcasting data.

5. (Original) The hybrid digital broadcasting receiver according to claim 1, further comprising a multimedia module for supplying said digital multimedia data stream to said second demultiplexer.

6. (Original) The hybrid digital broadcasting receiver according to claim 1, wherein said digital multimedia data comprises audio data and video data.

7. (Original) The hybrid digital broadcasting receiver according to claim 6, wherein said second demultiplexer separates said audio data and said video data from said digital multimedia data stream.

8. (Original) The hybrid digital broadcasting receiver according to claim 1, wherein said broadcast receiving module and said decoder module are each formed in a single integrated circuit.

9. (Currently Amended) A hybrid digital broadcasting receiver for reproducing digital multimedia data, comprising:

a receiving section for receiving a digital broadcasting data stream which includes multiplexed and transmitted digital broadcasting data packets and conditional access information packets for a plurality of programs;

a multimedia module for supplying a digital multimedia data stream that is not decrypted;

a first demultiplexer for separating said conditional access information packets and digital broadcasting data packets for a program selected by a user from said received digital broadcasting data stream;

a conditional access section for detecting conditional access information from said conditional access information packets and decrypting said separated digital broadcasting data packets using said conditional access information;

a second demultiplexer in electrical communication with said multimedia module for receiving said digital multimedia data stream and for receiving ~~[[a]]~~the digital multimedia data stream which includes multiplexed compressively encoded audio packets and video packets, and separating said audio packets and said video packets from said digital multimedia data stream; and

a decoding section for decoding digital broadcasting data packets output from said conditional access section and audio packets and video packets output from said second demultiplexer,

wherein the digital broadcasting data is inputted to the decoding section via the conditional access section from a first demultiplexer and the digital multimedia data is inputted to the decoding section from the second demultiplexer.

10. (Original) The hybrid digital broadcasting receiver according to claim 9, further comprising a smart card for receiving said conditional access information and generating a scrambling key.

11. (Previously presented) The hybrid digital broadcasting receiver according to claim 9, wherein said conditional access information comprises Entitlement Control Message (ECM) and Entitlement Management Message (EMM).

12. (Original) The hybrid digital broadcasting receiver according to claim 10, wherein said conditional access section receives said scrambling key from said smart card and decrypts said digital broadcasting data.

13. (Original) The hybrid digital broadcasting receiver according to claim 9, further comprising a multimedia module for supplying said digital multimedia data stream to said second demultiplexer.

14. (Original) The hybrid digital broadcasting receiver according to claim 9, wherein said receiving section, first demultiplexer and conditional access section are formed in a first integrated circuit chip while said second demultiplexer and decoding section are formed in a second integrated circuit chip.

15. – 24. (Canceled)